

Draiocht

main auditorium

Fly Bar Plot

Please consult with the Production Manager if you are intending to fly as part of a show.

Please read the accompanying notes with the bar lay out.

Bar Number	Distance from Pros wall	Usual Function
1	230mm	Aqua Marine House Tab
2	630mm	Leg masking & 2m x 12m Border
3	1030mm	1 st Electric - Circuits 13-24
4	1430mm	Empty
5	1830mm	Empty
6	2230mm	Leg masking 2400mmx7000mm
7	2630mm	2000mm x 12000mm Border
8	3030mm	2 nd Electric - Circuits 37-48
9	3430mm	2000mm x 12000mm Border
10	3830mm	Leg masking 2400mmx7000mm
11	4230mm	2000mm x 12000mm Border
12	4630mm	Empty
13	5030mm	Leg masking 2400mmx7000mm
14	5430mm	3 rd Electric - Circuits 49-60
15	5830mm	Empty
16	6230mm	Fixed Mid-stage B.W.S Traveller
17	6630mm	3000mm x 12000mm Border
18	7030mm	Leg masking 2400mmx7000mm
19	7430mm	4 th Electric - Circuits 61-72
20	7830mm	Empty
21	8230mm	2000mm x 12000mm Border
22	8630mm	5 th Electric - Circuits 73-84
23	9030mm	Leg masking 2400mmx7000mm
24	9430mm	Empty
25	98300mm	Empty
26	10030mm	Leg masking 2400mmx7000mm
27	10430mm	Full Black Tabs
28	10630mm	Cyclorama Cloth
29	700mm DS edge to Pros	5no 1500m x 7000mm BWS Leg masking. Perpendicular to audience SR
30	700mm DS edge to Pros	5no 1500m x 7000mm BWS Leg masking.

Bar Number	Distance from Pros wall	Usual Function
30 cntd		Perpendicular to audience SL
31		Lantern Storage bar
32		Lantern Storage bar

- 1) Distances are given in millimetres.
- 2) Total number of line sets available for use is 30. Line sets 31 & 32 are used for storage of lanterns.
- 3) All bars are Twin Top Ladder Beam at 12000mm/10000mm in length & with a diameter of 48mm for the lower bar. The top portion is 2" box.
- 4) Line sets 1-27 are at 250kg (Line set 28 is at 150kg) maximum lifting capacity extra to bar weight.
- 5) Line sets 29-32 are at 500kg maximum lifting capacity extra to bar weight
- 4) Line sets 1-28 are at programmable variable speed control (0-1m/s)
- 5) Line sets 29-32 are at a maximum variable speed (0-82mm/s).
- 6) System is designed to fly in show. Setting of multiple positions/cueing etc is possible. Only House operators are allowed to use the system.
- 7) All Legs and Borders are Black Wool Serge and Fire proofed.
- 8) All Cloths hanging are to be Fire Proofed & certificate proven as such.
- 9) All Scenic elements flying are to be of suitable structural build. If this is not the case, Draiocht reserves the right to refuse items for hanging purposes. This is the companies responsibility.
- 10) Stage depth is measured at 12200mm from back wall to setting line.
- 11) Bar 1 (House Tab) and Bar 16 (MS Traveller) are fixed in use & are not changeable.

<i>Eamon Fox</i> Production Manager Draiocht The Blanchardstown Centre Dublin 15 Ireland. Tel: +353 1 809 8023 Fax: +353 1 8243434 Email: eamon@draiocht.ie www.draiocht.ie	<i>Iarla Morrissey</i> Technical Stage Manager Tel: +353 1 8098025 iarla@draiocht.ie
--	---

